



X1JET HP Standard



3261 Commercial Parkway • Memphis, TN 38116
Tel: (901) 332.6735 • Toll Free: 1-866-804-5291
Fax: (901) 332.1834

E-mail: grdouglas@grdouglas.com
Visit: grdouglas.com

X1JET HP Premium MK2





- Control system and print head integrated in one housing
- Use of the thermal inkjet technology HP for a clean product identification
- Max. print height: 12,5 mm
- High class milled and eloxadized aluminium housing
- Patented Click'n Print cartridge holder for a fast and simple change of the ink cartridge. (No latch to break)
- Easy and intuitive 3-button operation with LED control lamps for a user-friendly system control
- True Ethernet Connection Network Ready
- Integrated photo sensor for an automatic print activation



- SmartCard Function for a control of the ink cartridge
- Automatic identification of the cartridge by the print system and request and saving of the ink level
- Variable when printed operator prompt fields controlled via interface
- Easy layout- and parameter transfer via USB-stick

HMI operator terminal



- Human Machine Interface (HMI)
- Display of printing orders and operational conditions
- Arbitrary number of printed images
- Setting of parameters and variable data
- Direct overview of settings
- Changing settings directly on the device
- For 12 V and 24 V systems
- HMI terminal may be removed during operation, for use on other devices (Hot-Plug-in)
- Minimum space required (120x88x20mm)
- Improved ergonomics

